

Newborn & Child

HEALTH SERVICES

Consultation Hours

Monday to Friday : 9.00 a.m. to 1.00 p.m.
: 2.00 p.m. to 5.00 p.m.

Saturday : 9.00 a.m. to 1.00 p.m.

Closed on Sunday and Public Holidays

For Appointments

General Line : 088 518 888
Dr. Fauziah's Clinic : 088 518 828
Dr. Alvin's Clinic : 088 518 807

Emergency Department
Open 24-Hours

Ambulance Service Call Centre
1300 88 1919

Paediatricians:

DR. FAUZIAH BINTI ZAINAL ABIDIN A.M.N

Consultant Paediatrician

MD (UKM) Master of Med (Paed) (UKM)
(MMC : 28753 NSR : 131107)

DR. ALVIN KHOH KIM MUN

Consultant Paediatrician

Paediatric Gastroenterology / Hepatology

MBBS (Malaya), MRCPCH (UK)

(MMC : 38943 NSR : 128139)



Gleneagles™
KOTA KINABALU

Riverson@Sembulan, Block A-1,
Lorong Riverson@Sembulan,
88100 Kota Kinabalu, Sabah, Malaysia.
Tel: +6088 518 888 Fax: +6088 518 889
Website: www.gleneagleskk.com.my

IMMUNISATION RECORD

AIRA AMEENA

Name	BABY OF RUHAINI BINTI RUSLAN
DOB	890617085874 F1 F/00 30/03/19 1900053268 30/03/19
MRN	191P03000644 WNUR/NUR9/BED A AIRA AMEENA BINTI SYAFIQ BA: 890617085874 F1 F/7M 30/03/19 1900053268 05/11/19
Address	190P11000982

PATIENT DETAILS

Name:		
Date of Birth:	30 / 03 / 2019	
Time of Birth:	0242	(am) / pm
Sex:	Girl	
Mother's Name:	Ruhaini Binti Ruslan	
Father's Name:	Syafiq Basri Bin Shaari	
Obstetrician:	DR. Shima	
Mode of Delivery:	SVD	
Gestation:	38/52	
Apgar Scores:	9 @ 1 min	10 @ 5 min
Birth Weight:	2.80	kg
Length:	45	cm
Head Circumference:	32	cm
Blood Group:	A (B) / O / AB	
Rhesus:	(Positive) / Negative	
G6PD:	(Normal) / Deficient	
Thyroid:	7.29mIU/L (Normal) / Deficient	

(Based on Malaysian Schedule 2016)

Age Due	Type of Vaccine	Date Given	Signature
Birth	BCG	30/3/19	Chy
	Hepatitis B	30/3/19	Chy
1 Month	Hepatitis B	30/4/19	NOOR AZLINA MOHD NOOR JM 024
2 Months	DTaP/Hib/Polio	3/6/19	H Jie Keng Yu
3 Months	DTaP/Hib/Polio	1/7/19	Chy
4 Months	DTaP/Hib/Polio	2/9/19	Chy
5 Months	Hepatitis B		
9 Months	MMR	2/1/20	Chy
12 Months	MMR	22/4/20	KIA
18 Months	DTaP/Hib/Polio	6/10/20	Chy
7 Years	DT		
	*MMR		
13 Years	HPV (1 st dose)		
	HPV (2 nd dose)		
	HPV (3 rd dose)		
15 years	Tetanus		

* For children born before 1st July 2015
in Malaysia

Type of Vaccine	Schedule	Date Given	Signature
For infants < 1 year			
Pneumococcal Lot No.: AH2515 Exp. Date: 09 2021	3 months	1/7/19	[Signature]
	5 months	7/9/19	[Signature]
	7 months	5/11/19	[Signature]
	1 Year		
Rotavirus Lot No.: AH2515 Exp. Date: 09 2021	4 months		
	6 months		
For Children > 1 year			
Chicken Pox	1st dose	5/11/20	[Signature]
	2nd dose		
Meningococcal	Single dose		
Hepatitis A (6 months apart)	1st dose		
	2nd dose		
JE (1 year apart)	1st dose		
	2nd dose		
0202-20 80H51 61028090	LOT MFD EXP	AFLBA447BJ- 02-2020 01-2021	4/1/20 [Signature] 6/10/20 [Signature]
Shingrix Tetra 2020 South/Sud/Sur			

M-M-R II®
(measles, mumps, and rubella virus vaccine live)

1 DOSE VIAL 0.5 mL

U.S. version of the M-M-R II vaccine is a live attenuated vaccine containing 1000 times the 50% tissue culture infective dose (TCID₅₀) of the U.S. reference strains of measles virus, mumps virus, and rubella virus. Infectious titer: 10^{6.0} TCID₅₀/mL. Contains 0.5 mL of vaccine. For use in children 12 months of age and older. For information, contact the Division of Biologics and Research, U.S. Food and Drug Administration, Center for Biologics Evaluation and Research, 1401 Rockville Pike, Rockville, MD 20852.

MSD

For Pharmacy and Medication Administration, Consultation, and Information, Please Contact: 1-800-424-2229

VARIVAX®
Refrigerated

**VARICELLA VIRUS VACCINE
LIVE (OKA/MERCK)**

1350 PFU/0.5 mL
1 Single Dose 0.5 mL Vial

U.S. version of the VARIVAX vaccine is a live attenuated vaccine containing 1350 PFU of the OKA strain of varicella-zoster virus. Infectious titer: 10^{6.0} PFU/mL. Contains 0.5 mL of vaccine. For use in children 12 months of age and older. For information, contact the Division of Biologics and Research, U.S. Food and Drug Administration, Center for Biologics Evaluation and Research, 1401 Rockville Pike, Rockville, MD 20852.

MSD

For Pharmacy and Medication Administration, Consultation, and Information, Please Contact: 1-800-424-2229

What to do to manage injection site discomfort?

Many vaccine injections may result in soreness, redness, itching, swelling or burning at the injection site for 1 to 2 days. Paracetamol might be required to ease the discomfort. Sometimes a small, hard lump may persist for some weeks or months. This should not be of concern and requires no treatment.

Managing fever after immunisation?

Give extra fluid to drink. Do not overdress the baby if hot. Although the routine use of paracetamol at the time of vaccination is no longer necessary. It may be required if, for example, an infant or child has a high fever following vaccination. The dose of paracetamol is 15 mg/kg of paracetamol liquid, up to a maximum daily dose of 60 mg/kg/day.

Rotavirus Vaccine:

- | | | |
|-----------|---|--|
| Rotarix | - | 2 doses, at least 4 weeks apart, 2 nd dose before turning 25 weeks. |
| Rotateq | - | 3 doses, at 2, 4, 6 months
Final dose before turning 33 weeks. |
| JE | - | Japanese Encephalitis Vaccine
Routine in Sarawak at 9 and 21 months. |
| Influenza | - | Single dose is recommended for children receiving influenza vaccine yearly. |
| DTaP | - | Diphtheria / Tetanus / Acellular Pertussis |
| Hib | - | <i>Haemophilus influenza type B</i> |
| MMR | - | Measles, Mumps and Rubella |
| HPV | - | Human Papilloma Virus.
3 doses at 0, 1 and 6 months apart |